

**IN THE CLAIMS**

**Listing of Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A karabiner comprising a generally C-shaped body, with its free ends curved towards each other and forming a gap therebetween, and a gate on one end of the body for closing the gap, the gate having a locking barrel thereon for locking the gate to the other end of the body, the barrel having a region of greater thickness or strength on its face outward of the body, wherein the barrel overlaps the free end of the body when locking the gate in a closed position and wherein the barrel has a greater thickness or strength on its face outward of the body when the gate is in a closed position so as to reinforce the karabiner against inward forces applied to the gate region thereof, wherein the region of greater thickness at least partially overlaps the free end of the karabiner body and surrounds the free end of the body through an angle of at least 25 degrees.

2. (Previously Presented) A karabiner as claimed in claim 1, wherein the barrel is slidable along the gate to a locking position.

3. (Original) A karabiner as claimed in claim 1, wherein the barrel is screw threadedly mounted on the gate for movement therealong for locking the gate.

4. (Original) A karabiner as claimed in claim 1, wherein the barrel is a double locking or triple locking barrel.

5. (Original) A karabiner as claimed in claim 1, wherein the barrel has additional thickness of material on the face or side of the barrel that will be outermost when it is in the position of locking the gate in a closed position.

6. (Original) A karabiner as claimed in claim 1, wherein the barrel is made of carbon steel.

7. (Original) A karabiner as claimed in claim 1, wherein the barrel is made of aluminum or stainless steel.

8. (Original) A karabiner as claimed in claim 1, wherein the barrel is sized and/or made from suitable material, such that it can withstand push in forces upto 25kN.

9. (Original) A karabiner as claimed in claim 1 having a substantially solid cylindrical gate.

10. (Original) A karabiner as claimed in claim 1 having a wire gate.

11.-12. Cancelled

13. (NEW) A karabiner as claimed in claim 1, wherein the region of greater thickness surrounds the free end of the body through an angle of about 25 degrees to about 130 degrees.

Application No. 09/975,088  
Paper Dated: February 11, 2004  
In Reply to USPTO Correspondence of August 12, 2003  
Attorney Docket No. 3265-011733

14. (NEW) A karabiner as claimed in claim 1, wherein the region of greater thickness surrounds the free end of the body through an angle of about 130 degrees.

Application No. 09/975,088  
Paper Dated: February 11, 2004  
In Reply to USPTO Correspondence of August 12, 2003  
Attorney Docket No. 3265-011733

**AMENDMENTS TO THE DRAWINGS**

The attached sheet of drawings (1/1) includes Figures 1-4. There have been no changes to the drawings, however, Applicant wishes to now submit these formal drawings to replace the informal drawings filed with the original application. There are no annotated copies since no changes were made.

Please replace the one sheet of drawings filed with the original specification with the Replacement Sheet 1/1 attached hereto.

Attachment:            Replacement Sheet (1)